



Document details

< Back to results | 1 of 1

↗ Export ↴ Download 🖨 Print ✉ E-mail 📄 Save to PDF ☆ Add to List More... >

Malaysian Journal of Microscopy
Volume 15, Issue 1, 2 December 2019, Pages 10-16

Mechanical properties of woven carbon fiber / kenaf fabric reinforced epoxy matrix hybrid composites (Article)

Yusuff, M.I. ✉, Sarifuddin, N., Ahmad, Z. 👤

Department of Manufacturing and Material Engineering, Kuliyyah of Engineering, Jalan Gombak, Kuala Lumpur, 53100, Malaysia

Abstract

↕ View references (12)

The demand for composite materials in manufacturing industries is increasing especially in structural applications due to its outstanding properties, especially in mechanical aspects. Nowadays, the fabrication of hybrid composite has widely developed where the combination of natural and synthetic fibers with a matrix resin gained major interest in many pieces of research. Unfortunately, from previous studies, the research that utilizes the adoption of fine kenaf fiber as a reinforcement using the vacuum infusion as a fabrication technique was limited. Indeed, the mechanical properties of fabricated hybrid composites rely upon the condition of kenaf fiber and also fabrication method. Therefore, to occupy the gap, in the present work, a hybrid composite was fabricated where the combination of two different reinforcements; fine kenaf fiber and carbon fiber were used together with the epoxy matrix via vacuum infusion technique. The fiber contents were varied at 40 and 50 vol.%. The sample of carbon fiber reinforced epoxy matrix and kenaf fiber reinforced epoxy matrix were also fabricated as a reference. The effect of different fibers/ matrix ratio of the hybrid composite was evaluated by conducting tensile and flexural tests according to ASTM D3039 and ASTM D790. The fractures and mode failures of hybrid composites were characterized using scanning electron microscope (SEM) and the optical microscope, respectively. The result highlights that hybrid composite with fiber / matrix ratio of 40/60 vol.% exhibits good tensile and flexural strength in which both values gained at 325.70 MPa and 345.23 MPa, respectively. © Malaysian Journal of Microscopy (2018). All rights reserved.

SciVal Topic Prominence ⓘ

Topic: Kenaf Fibers | Sisal | Coir

Prominence percentile: 99.897 ⓘ

Author keywords

Carbon / kenaf fiber Hybrid composite Natural fiber Vacuum infusion (vi)

Funding details

Funding sponsor	Funding number	Acronym
International Islamic University Malaysia		IIUM
Ministry of Higher Education, Malaysia	FRGS 17-033-0599	MOHE

Metrics ⓘ View all metrics >



PlumX Metrics ↕
Usage, Captures, Mentions, Social Media and Citations beyond Scopus.

Cited by 0 documents

Inform me when this document is cited in Scopus:

Set citation alert >

Related documents

Effect of coupling agent on mechanical and physical properties of non-woven kenaf fibre mat reinforced polypropylene composites
Roslan, R.A.E. , Abu Bakar, M.B. , Mohamed, M.
(2019) *International Journal of Advanced Science and Technology*

Mechanical performance of laminated palm and coir fibre-based bio-composites and hybrids

Abidin, M.S.Z. , Fei, L.Y. , Wee, P.C.
(2018) *JEC Composites Magazine*

Experimental Research on Mixture Ratio of Different Fibers Reinforced Alkali-activated Slag Cementitious Material | 不同纤维增强碱矿渣胶凝材料的配合比试验研究

Zhu, J. , Lesley, H.S. , Huang, Y.
(2020) *Wuhan Ligong Daxue Xuebao (Jiaotong Kexue Yu Gongcheng Ban)/Journal of Wuhan University of Technology (Transportation Science and Engineering)*

The authors would like to express the gratitude to the Ministry of Higher Education (MOHE) of Malaysia for the support through the awarded grant no (FRGS 17-033-0599), Kuliyyah of Engineering International Islamic University Malaysia (IIUM), and also to Research Management Centre (RMC) IIUM for facilitating this project.

Find more related documents in Scopus based on:

Authors > Keywords >

ISSN: 18237010

Source Type: Journal

Original language: English

Document Type: Article

Publisher: Microscopy Society of Malaysia

References (12)

View in search results format >

☐ All ☐ Export ☐ Print ☐ E-mail ☐ Save to PDF ☐ Create bibliography

- ☐ 1 Sanjay, M.R., Arpitha, G.R., Naik, L.L., Gopalakrishna, K., Yogesha, B.
Applications of Natural Fibers and Its Composites: An Overview
(2016) *Natural Resources*, 7, pp. 108-114. Cited 145 times.
- ☐ 2 Arpitha, G.R., Yogesha, B.
An Overview on Mechanical Property Evaluation of Natural Fiber Reinforced Polymers
(2017) *Materials Today: Proceedings*, Part A 4 (2), pp. 2755-2760. Cited 24 times.
<http://www.journals.elsevier.com/materials-today-proceedings/>
doi: 10.1016/j.matpr.2017.02.153
[View at Publisher](#)
- ☐ 3 Lalit, R., Mayank, P., Ankur, K.
Natural fibers and biopolymers characterization: A future potential composite material ([Open Access](#))
(2018) *Strojnicky Casopis*, 68 (1), pp. 33-50. Cited 15 times.
<https://content.sciendo.com/view/journals/scjme/scjme-overview.xml><https://www.degruyter.com/view/j/scjme#>
doi: 10.2478/scjme-2018-0004
[View at Publisher](#)
- ☐ 4 Sapiai, N., Jumahat, A., Mahmud, J.
Mechanical properties of functionalised CNT filled kenaf reinforced epoxy composites
(2018) *Materials Research Express*, 15 (4), art. no. 045034. Cited 18 times.
<https://iopscience.iop.org/article/10.1088/2053-1591/aabb63/pdf>
doi: 10.1088/2053-1591/aabb63
[View at Publisher](#)
- ☐ 5 Maslinda, A.B., Abdul Majid, M.S., Ridzuan, M.J.M., Afendi, M., Gibson, A.G.
Effect of water absorption on the mechanical properties of hybrid interwoven cellulosic-cellulosic fibre reinforced epoxy composites
(2017) *Composite Structures*, 167, pp. 227-237. Cited 54 times.
www.elsevier.com/inca/publications/store/4/0/5/9/2/8
doi: 10.1016/j.compstruct.2017.02.023
[View at Publisher](#)

- 6 Madhu, P., Sanjay, M.R., Sentharamaikannan, P., Pradeep, S., Saravanakumar, S.S., Yogesha, B.
A review on synthesis and characterization of commercially available natural fibers: Part-I
(2018) *Journal of Natural Fibers*, pp. 1-13. Cited 20 times.
-
- 7 Qatu, M.S.
(2011) *Application of Kenaf-Based Natural Fiber Composites in the Automotive Industry*, p. 6. Cited 3 times.
SAE Technical Paper 2011-01-0215
-
- 8 Sood, M., Dwivedi, G.
Effect of fiber treatment on flexural properties of natural fiber reinforced composites:
A review ([Open Access](#))

(2018) *Egyptian Journal of Petroleum*, 27 (4), pp. 775-783. Cited 69 times.
<http://www.journals.elsevier.com/egyptian-journal-of-petroleum>
doi: 10.1016/j.ejpe.2017.11.005

[View at Publisher](#)
-
- 9 Cardon, L.K., Ragaert, K.J., de Santis, R., Gloria, A.
Design and fabrication methods for bio composites
(2017) *Biomedical Composites*, pp. 17-36. Cited 4 times.
-
- 10 Nguyen, A.V., Charlet, K., Bouzgarrou, B.C., Pham, K.N., Vu, T.D., Béakou, A.
Hybrid effect on hybrid composite reinforced carbon fibers and flax fibers

(2019) *Key Engineering Materials*, 801 KEM, pp. 101-106.
<https://www.scientific.net/KEM>
ISBN: 978-303571491-3
doi: 10.4028/www.scientific.net/KEM.801.101

[View at Publisher](#)
-
- 11 Hassan, A., Isa, M.R.M., Ishak, Z.A.M.
Improving thermal and mechanical properties of injection moulded Kenaf Fibre-reinforced Polyhydroxy-butyrate composites through fibre surface treatment

(2019) *BioResources*, 14 (2), pp. 3101-3116. Cited 10 times.
http://www.ncsu.edu/bioresources/Back_Issues.htm
doi: 10.15376/biores.14.2.3101-3116

[View at Publisher](#)
-
- 12 Pickering, K.L., Efendy, M.G.A., Le, T.M.
A review of recent developments in natural fibre composites and their mechanical performance ([Open Access](#))

(2016) *Composites Part A: Applied Science and Manufacturing*, 83, pp. 98-112. Cited 1106 times.
doi: 10.1016/j.compositesa.2015.08.038

[View at Publisher](#)
-

About Scopus

- What is Scopus
- Content coverage
- Scopus blog
- Scopus API
- Privacy matters

Language

- 日本語に切り替える
- 切换到简体中文
- 切换到繁體中文
- Русский язык

Customer Service

- Help
- Contact us

ELSEVIER

[Terms and conditions ↗](#) [Privacy policy ↗](#)

Copyright © Elsevier B.V. ↗. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.

We use cookies to help provide and enhance our service and tailor content. By continuing, you agree to the use of cookies.

